

Name INDUSTRIAL CARBON REMOVER

No. 953

Description | Carbon removers are used to remove black carbon marks from various surfaces.

Formulation INGREDIENTS: % by Weight Functionality

STEPOSOL® SC
Technical Grade d-Limonene (Florida Chemical)
BIO-SOFT® EC-690

80.0 Solvent, Degreaser
9.0 Solvent, Degreaser
10.0 Emulsifier, Wetting Agent

NINOL® 40-CO 1.0 Emulsifier

Total 100.0

Procedure Combine ingredients in the order listed. Mix well.

Physical Appearance at 25°C Clear, yellow liquid

Properties pH, 10% in IPA 8.0-9.0 Viscosity at 25°C, cps <100

Density, lbs/gal 7.92 Solids, % 47 - 51 Flash point, °F (PMCC) 134

Storage/ 4 weeks at 4°C (39°F) Stable
Stability 4 weeks at 25°C (77°F) Stable

4 weeks at 25°C (77°F)

4 weeks at 40°C (104°F)

5 table

4 weeks at 50°C (122°F)

Freeze/Thaw, 10 cycles

Stable

Pass

Instructions Apply to the surface and wipe away with cloth.

for Use

Comment Product may darken if exposed to heat. BIO-SOFT® N91-8 may also be used in this formulation

to replace BIO-SOFT® EC-690

Registered Trademarks of Stepan Company STEPOSOL® BIO-SOFT® NINOL®

External

For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or 011-334-76-505-100 (Europe).

Additional Assistance Assistance Assistance

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in

 $connection \ with \ the \ accuracy, \ completeness, \ adequacy \ or \ furnishing \ of \ such \ information.$



Stepan Company Northfield, Illinois 60093 Telephone (847) 446-7500

Revision Date: 01/21/2009 Publication Date: 10/04/2006 © 2009, Stepan Company. All rights reserved.