

Name **FOAMING BUBBLE BATH** 

1076 No.

Description This formulation provides light, lacy foam with good skin after-feel.

Formulation INGREDIENTS: % by Weight Functionality

> Deionized Water q.s. to 100.0 Solvent 0.5 Humectant Glycerin (Uniqema) Mackernium 007 (Solvay) Polyguaternium-7 0.2 Conditioning Agent

BIO-TERGE® AS-40 (or BIO-TERGE® AS-40 HP) 38.5 Primary Surfactant 2.0 Secondary Surfactant

0.2 Additive

q.s. Additive q.s. pH Modifier

q.s. pH Modifier

a.s. Viscosity Modifier

STEPAN-MILD® L3

Hydrotriticum 2000 (Croda), Hydrolyzed Whole Wheat Protein

Preservative, Dye, Fragrance Sodium Hydroxide, 50% solution Citric Acid, 50% solution Sodium Chloride

Total 100.0

Procedure

1. In a suitable container, combine Deionized Water, Glycerin, Mackernium 007, BIO-TERGE® AS-40 (or BIO-TERGE® AS-40 HP), and STEPAN-MILD® L3. Mix until clear.

- 2. Add Hydrotriticum 2000. Mix well.
- 3. Add Preservative, Dye, and Fragrance. Mix.
- 4. Adjust pH with Sodium Hydroxide, 50% solution or Citric Acid, 50% solution and adjust viscosity with Sodium Chloride.

\*Note: When formulating with BIO-TERGE® AS-40 HP, a greater amount of Citric Acid, 50% solution, may be needed to adjust the pH within the recommended range as noted, than when formulating with BIO-TERGE® AS-40.

Physical **Properties**  Appearance at 25°C Clear liquid pH, as is 5.8-6.5 Viscosity at 25°C, cps 1,500-2,000

Instructions for Use

Squeeze bubble bath into stream of running water as tub fills up.

Registered **Trademarks** of Stepan Company

**BIO-TERGE®** STEPAN-MILD®

For Additional Assistance For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or 011-334-76-505-100 (Europe).

For ordering assistance, call our Account Service Department at 1-800-457-7673.

The information contained herein is based on the manufacturer's own study and the works of others and is subject to change without prior notice. The information is not intended to be all-inclusive, including as to the manner and conditions of use, handling, storage or disposal or other factors that may involve additional legal, environmental, safety or performance considerations. Nothing contained herein grants or extends a license, express or implied, in connection with any patents issued or pending of the manufacturer or others, or shall be construed as a recommendation to infringe any patents. STEPAN COMPANY MAKES NO PRODUCT WARRANTY OF

MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR USE, EXPRESS OR IMPLIED, AND NO OTHER WARRANTY OR GUARANTY, EXPRESS OR IMPLIED, IS MADE, INCLUDING AS TO INFORMATION REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY, ACCURACY, COMPLETENESS, OR

**ADEQUACY.** Stepan Company (and its employees, subsidiaries and affiliates) shall not be liable (regardless of fault) to the vendee, its employees, or any other party for any direct, indirect, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy, furnishing, use, or reliance upon information provided herein. The vendee assumes and releases Stepan Company (and its employees, subsidiaries and affiliates) from all liability, whether in tort, contract or otherwise to the fullest extent possible under the relevant law.



Stepan Company Northfield, Illinois 60093 Telephone (847) 446-7500

Revision Date: 03/27/2020 Publication Date: 04/22/2008 © 2020, Stepan Company. All rights reserved.