



Formulation

Name	PLASTIC AND VINYL CLEANER WITH BIO-TERGE® PAS-8S	
No.	992	
Description	This formulation can be used to clean plastic and vinyl surfaces in cars.	
Formulation	INGREDIENTS:	% by Weight Functionality
	BIO-SOFT® N91-8	6.5 Wetting Agent
	BIO-SOFT® N91-2.5	2.7 Wetting Agent
	Sodium Metasilicate Pentahydrate	5.8 Builder
	BIO-TERGE® PAS-8S	3.0 Hydrotrope
	Deionized Water	q.s. to 100.0 Carrier
	Dye	q.s. Additive
	Preservative	q.s. Additive
	Total	100.0
Procedure	<ol style="list-style-type: none"> Mix BIO-SOFT® N91-8 and BIO-SOFT® N91-2.5 with Deionized Water. Mix until clear. Add Sodium Metasilicate Pentahydrate and mix until dissolved. Add BIO-TERGE® PAS-8S and mix until clear. Add Dye and Preservative, and mix until uniform. 	
Physical Properties	Appearance at 25°C	Clear liquid
	pH, as is	12.0–14.0
	Viscosity at 25°C, cps	<100
	Density, lbs/gal	8.0
	Flash Point (PMCC), °F	>201
	VOC (calculated), %	0.15%
Storage/Stability	4 weeks at 4°C	Stable
	4 weeks at 25°C	Stable
	4 weeks at 50°C	Stable
	Freeze/Thaw, 10 cycles	Pass
Instructions for Use	This formulation can be applied using a spray bottle. Then wipe with a cloth.	
External Comment	<p>Marketing Notes: When used as per Stepan's recommendation, this formulation is VOC-compliant with U.S. Federal and California Air Resource Board (CARB) Consumer Products regulation for non-aerosol, general purpose cleaner (0.5% VOC limit as of December 31, 2012). BIO-SOFT® N91-8 and BIO-TERGE® PAS-8S are approved ingredients on www.cleangredients.org. This formulation does not contain Nonylphenol Ethoxylates (NPEs).</p>	
Registered Trademarks of Stepan Company	BIO-SOFT® BIO-TERGE®	
	For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or	

For
Additional
Assistance

011-334-76-505-100 (Europe).

For ordering assistance, call our Account Service Department at 1-800-457-7673.

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.

Stepan 

Stepan Company
Northfield, Illinois 60093
Telephone (847) 446-7500

Revision Date: 10/04/2006 Publication Date: © 2013, Stepan Company. All rights reserved.