

SAFETY DATA SHEET

1. Identification

BTC 888		
3226		
Biocidal product		
For industrial use only.		
Distributor information		
Stepan Company 22 West Frontage Road Northfield, IL 60093 USA		
General	1-847-446-7500	
Not available.		
Medical	1-800-228-5635	
		7
	+1703-527-500	I
Flammable liquids		Category 3
Acute toxicity, oral		Category 4
Acute toxicity, inhalation		Category 2
Skin corrosion/irritation		Category 1
Serious eye damage/eye irrit	ation	Category 1
Hazardous to the aquatic environment, acute Category 1 hazard		
Hazardous to the aquatic environmentation of the heat	vironment,	Category 1
Not classified.		
$\wedge \wedge$	\land	
	\mathbf{v}	
	3226 Biocidal product For industrial use only. Distributor information Stepan Company 22 West Frontage Road Northfield, IL 60093 USA General Not available. Medical Chemtrec Chemtrec Int'l Flammable liquids Acute toxicity, oral Acute toxicity, oral Acute toxicity, inhalation Skin corrosion/irritation Serious eye damage/eye irrit Hazardous to the aquatic env hazard Hazardous to the aquatic env hazard	3226 Biocidal product For industrial use only. Distributor information Stepan Company 22 West Frontage Road Northfield, IL 60093 USA General 1-847-446-7500 Not available. Medical 1-800-228-5635 Chemtrec 1-800-424-9300 Chemtrec Int'l +1 703-527-388 Flammable liquids Acute toxicity, oral Acute toxicity, inhalation Skin corrosion/irritation Serious eye damage/eye irritation Hazardous to the aquatic environment, acute hazard Hazardous to the aquatic environment, long-term hazard

Signal word Danger Flammable liquid and vapor. Harmful if swallowed. Causes severe skin burns and eye damage. **Hazard statement** Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life with long lasting effects. **Precautionary statement** Prevention Keep container tightly closed. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only outdoors or in a well-ventilated area. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection. If swallowed: Immediately call a poison center/doctor. If swallowed: Rinse mouth. Do NOT induce Response vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment is urgent (see this label). Wash contaminated clothing before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.

Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alkyl dimethyl benzyl ammonium chloride (C12-16)		68424-85-1	32
Octyl decyl dimethyl ammonium chloride (Alternative CAS 68424-95-3)		32426-11-2	24
Didecyl dimethyl ammonium choride (Alternate CAS 68424-95-3)		7173-51-5	12
Dioctyldimethylammonium chloride (Alternative CAS 68424-95-3)		5538-94-3	12
Ethanol		64-17-5	10
Water		7732-18-5	<9
Free amine		Proprietary	< 1.4

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

and precautions for firefighters

equipment/instructions Specific methods

General fire hazards

Fire fighting

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment	Firefighters should wear full protective clothing including self contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Flammable liquid and vapor.

6. Accidental release measures

6. Accidental release measures			
Personal precautions, protective equipment and emergency procedures	Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not breathe vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.		
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.		
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe vapor. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Do not get this material on clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.		
Conditions for safe storage, including any incompatibilities	DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. PESTICIDE STORAGE: Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep in an area equipped with sprinklers.		

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Limit Valu	les		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls	Ensure adequate ventilation, especially in confined areas. Eye wash facilities and emergency shower must be available when handling this product.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Wear protective gloves.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

· · · · · · · · ·	
Appearance	Clear.
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	7.5 - 8.5 (10% aqueous solution)
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	100.0 °F (40.0 °C) Depatry Martena Classed Cur
Flash point	120.0 °F (48.9 °C) Pensky-Martens Closed Cup
Evaporation rate	Estimated slower than ethyl ether
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not determined or unknown
Vapor density	Estimated heavier than air
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	360 cP @ 25C
Other information	
Percent volatile	< 19 %
Pour point	10 °F (-12.22 °C)
10. Stability and reactivity	
De settestes	The product is stable and new reactive under nervel as

Reactivity

Chemical stability

The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions.

Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.	
Incompatible materials	Strong oxidizing agents. Anionic surfactants	
Hazardous decomposition products	Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide, carbon monoxide and other low molecular weight hydrocarbons.	

11. Toxicological information

Information on li	ikely routes of	exposure
-------------------	-----------------	----------

Inhalation	Not likely, due to the form of the product.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Harmful if swallowed. Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage.

Information on toxicological effects

Acute toxicity Fatal if inhaled. Harmful if swallowed.

Product	Species	Test Results
BTC 888		
<u>Acute</u> Dermal <i>Liquid</i> LD50	Rabbit	> 2000 mg/kg
Inhalation Mist LC50	Rabbit	0.054 - 0.51 mg/l
Oral <i>Liquid</i> LD50	Rat	307 mg/kg ATEmix
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization	1	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall Evaluation of Carcinogenicity Not listed.		
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1052)	
Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not applicable.	
Specific target organ toxicity - repeated exposure	Not applicable.	
Aspiration hazard	Not applicable.	

12. Ecological information


Ecotoxicity	Very toxic to aquatic life with long lasting effects.
Persistence and degradability	Readily biodegradable.
Bioaccumulative potential	No data available.
Partition coefficient n-octanol / water (log Kow)	
Ethanol	-0.31
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
	CONTAINER DISPOSAL - Nonrefillable Container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse empty container with water. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

14. Transport information

DOT	
UN number	UN2920
UN proper shipping name	Corrosive Liquid, Flammable, N.O.S. (Quaternary Ammonium Chloride, Ethanol)
Transport hazard class(es)	
Class	8
Subsidiary risk	3
Packing group	II
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
ΙΑΤΑ	
UN number	UN2920
UN proper shipping name	Corrosive Liquid, Flammable, N.O.S. (Quaternary Ammonium Chloride, Ethanol)
Transport hazard class(es)	
Class	8
Subsidiary risk	3
Packing group	11
Environmental hazards	Marine Pollutant
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
IMDG	
UN number	UN2920
UN proper shipping name	Corrosive Liquid, Flammable, N.O.S. (Quaternary Ammonium Chloride, Ethanol), MARINE POLLUTANT
Transport hazard class(es)	
Class	8
Subsidiary risk	3
Packing group	II
Environmental hazards	
Marine pollutant	Yes
EmS	Not available.
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not available.
Annex II of MARPOL 73/78 and	
the IBC Code	





15. Regulatory information

US federal regulations

This product is a U.S. EPA registered pesticide.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous	Yes
chemical	

Classified hazard	Flammable (gases, aerosols, liquids, or solids)
categories	Acute toxicity (any route of exposure)
-	Skin corrosion or irritation
	Serious eye damage or eye irritation

SARA 313 (TRI reporting) Not regulated.

Other federal regulations		
-	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.	T TZ(I) Accidental Release T Tevention (40 OF R 00. 100)	
Safe Drinking Water Act (SDWA)	Not regulated.	
. ,	ces Respiratory Health and Safety in the Flavor Manufacturing Workplace	
Ethanol (CAS 64-17-		
FIFRA Information	This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required o the pesticide label:	
Signal word	DANGER	
Hazard statement	Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed, absorbed through the skin or inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals This product is toxic to fish, aquatic invertebrates, oysters, and shrimp.	i.
US state regulations	[For informational purposes only: EUP manufacturers shall use a compliant California Propositi 65 safe harbor warning in accordance with Proposition 65 regulations. A compliant safe harbor warning is provided below. Note - the Proposition 65 precautionary word "WARNING" is inconsistent with the "DANGER" signal word required on the FIFRA label. "ATTENTION" or "NOTICE" are compliant with Proposition 65 and are acceptable in place of "WARNING" if EPA has approved that language on the product master label.]	
California Proposition 65		
Ca	his product can expose you to chemicals including Methanol, which is known to the State of alifornia to cause birth defects or other reproductive harm. For more information go www.P65Warnings.ca.gov.	
California Proposition 6	65 - CRT: Listed date/Developmental toxin	
Methanol (CAS 67-5	-	
International Inventories		
Country(s) or region	Inventory name On inventory (yes/	no)*
Australia		Yes
Canada		Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea		Yes
New Zealand	New Zealand Inventory (NZIoC)	Yes
Philippines		Yes
Taiwan	Taiwan Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by the governing country(s) e components of the product are not listed or exempt from listing on the inventory administered by the governi	ing
16. Other information, incl	luding date of preparation or last revision	
Issue date	09-25-2014	
Revision date	05-30-2019	
	-	

Revision date05-Version #07

Disclaimer

Terms and Conditions. This SDS is designed only as guidance for the products to which it applies. To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantibility or fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on the manufacturer's own study and the work of others, and is subject to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The receipt and use of this information constitutes consent to these terms and conditions.

Revision information

Exposure controls/personal protection: Respiratory protection Transport Information: Material Transportation Information